

# class FB DefaultBrowserStreamHandler cancel

<b>cancel</b>
<b>clearStream</b>
<b>DefaultBrowserStreamHandler</b>
<b>getStream</b>
<b>onStreamAttached</b>
<b>onStreamCompleted</b>
<b>onStreamCreated</b>
<b>onStreamDataArrived</b>
<b>onStreamDestroyed</b>
<b>onStreamDetached</b>
<b>onStreamFailedOpen</b>
<b>onStreamOpened</b>
<b>setStream</b>
<b>stream</b>
<b>~DefaultBrowserStreamHandler</b>

```
bool FB::DefaultBrowserStreamHandler::cancel ( ) virtual
```

Cancels the stream.

Author  
taxilian

Since  
1.7

Definition at line 42 of file `DefaultBrowserStreamHandler.cpp`.

References `getStream()`.

```
43 {  
44   FB::BrowserStreamPtr ptr(getStream());  
45   return ptr && ptr->close();  
46 }
```

`FB::DefaultBrowserStreamHandler::getStream`

virtual const FB::BrowserStreamPtr & getStream() const

Call to get the stream associated with this handler. Returns empty shared\_ptr if none.

**Definition:** `DefaultBrowserStreamHandler.cpp:80`

Here is the call graph for this function:

